

## **Change History Log:**

July 31, 2002 In Response Reply to: 02EDU0635

Department of Education **Student Financial Assistance** 

Subject: Contract # ED-99-DO-0002

Task Order # 80 Enterprise Application Integration (EAI) Core Architecture Release 3.0 Deliverable 80.1.4a EAI Release 3.0 Enablement Guide (Preliminary)

| Suggested Changes/Comments  | Page  | Author | Date   | Change<br>Made Y/N | Comment  |
|---|---|--------|--------|--------------------|--|
| Change: Suggest providing a road map between document contents and the 3 bulleted objectives. This would aid users in quickly finding needed information without having to read the whole document.   | Page 8, section 1.3                             | IV&V   | 7/8/02 | N                  | This concern will be addressed in the final release of the Enablement Guide delivered on 9/27/02.              |
| Concern: This document contains a great deal of information, but it is very difficult to quickly find the specific information indicated in the separate Executive Summary document:  Defines the procedures to enable SFA business applications to connect to the EAI Core Architecture.  Documents the steps to design and build interfaces between SFA business applications and legacy systems.  Identifies the procedures to identify the business rules for the interface between SFA business applications and legacy systems. |   |        |        |                    |  |
| In particular, it is not obvious which sections provide the types of information identified in the 3 bullets above.   |   |        |        |                    |  |
| Change: Suggest expanding Glossary to also include terms and abbreviations found in this document.  Concern:  | Page 9, section<br>1.3, 11 <sup>th</sup> bullet | IV&V   | 7/8/02 | Y                  | A search of all<br>acronyms in the<br>document was<br>compiled. The<br>glossary was then<br>expanded to includ |
| Bullet "Section 11 – Appendix B:<br>Glossary<br>This section provides a glossary of<br>MQSeries related terms and   |   |        |        |                    | the terms and<br>abbreviations found<br>in this document.  |

accenture

| accentare   | 1   | 1    | ı      | • |  |
|---|---|------|--------|---|--|
| abbreviations".   |   |      |        |   |  |
| There are many terms and abbreviations in this document that are not contained in the Appendix B Glossary. Some abbreviations are defined in the text, but others are not (e.g., DMZ, ACS, mqm, MRM,  |   |      |        |   |  |
| BLOB, UTCL, RRS, TSYS).   |   |      |        |   |  |
| Change: Clarify statement as well as the relationship between different versions of the EAI Application Enablement Guide.  The nature of changes in naming conventions from previous guidance should be explained, so users do not mistakenly follow out-of-date guidance. In particular, many, but not all, naming conventions contained in the document 54.1.4 have been changed in 80.1.4.a.  Concern: Statement "FSA has not previously utilized MQSeries as part of its existing middleware infrastructure therefore no standards currently exist. This section will provide guidance on naming conventions for using MQSeries in the FSA EAI architecture".  The above statement is confusing because the document 54.1.4 EAI Application Enablement Guide, | Page 11, section 2, 1st sentence                        | IV&V | 7/8/02 | Y | Clarified statement to read: "Prior to Modernization Partner's EAI implementation, FSA had not previously utilized MQSeries as part of its existing middleware infrastructure. During Release 1.0 of this implementation standards were implemented and documented in the Release 1.0 version of the Enablement Guide. With each subsequent EAI Release, the Enablement Guide has been updated. This section provides guidance on naming conventions for using MQSeries in the FSA EAI architecture. These guidelines are meant to provide guidance in defining and implementing |
| Release 1, dated July 13, 2001 contains extensive discussion about  |   |      |        |   | MQSeries objects."   |
| naming guidelines.  | D . 00 .!   |      |        |   | A 11 1 1 1 1   |
| Change:<br>Clarify where "following objects"<br>are located.  | Page 26, section<br>2.5.3, 2 <sup>nd</sup><br>paragraph | IV&V | 7/8/02 | Y | Added objects.   |
| Concern: Statement "When defining a cluster, the following objects are included in the set of default objects defined when creating a queue manager on V5.X of Sun Solaris and Windows NT, and in the customization samples for MQSeries for OS/390".   |   |      |        |   |  |
| No objects immediately follow this statement.   |   |      |        |   |  |
| Note: this same statement occurs in the Release 1 version of this document.   |   |      |        |   |  |
| Change:<br>Indicate SU35E16 and SU35E17 on<br>diagram   | Page 29 & 30,<br>section 2.7.1,<br>diagram              | IV&V | 7/8/02 | Y | Indicated SU35E16<br>and SU35E17 on<br>diagram.  |
| Concern:  |   |      |        |   |  |
|   |   |      |        |   |  |

accenture

| accilcuic  | T                | 1        |          |          | 1                    |
|--|------------------|----------|----------|----------|----------------------|
| Statement "The FSA EAI cluster   |                  |          |          |          |                      |
| consists of 2 Sun Solaris Servers  |                  |          |          |          |                      |
| named SU35E16 and SU35E17. The   |                  |          |          |          |                      |
| Sun Servers are the repository queue   |                  |          |          |          |                      |
| managers for the cluster".   |                  |          |          |          |                      |
| The latest part of the latest pa |                  |          |          |          |                      |
| The diagram of the EAI BUS   |                  |          |          |          |                      |
| Architecture Overview  |                  |          |          |          |                      |
| (Development/Test) shows only one  |                  |          |          |          |                      |
| MQSeries Server for the EAI Bus  |                  |          |          |          |                      |
| Server Cluster. (Compare with the  |                  |          |          |          |                      |
| diagram for EAI BUS Architecture   |                  |          |          |          |                      |
| Overview (Production) on page 39   |                  |          |          |          |                      |
| that shows 2 servers for EAI BUS   |                  |          |          |          |                      |
| Servers Clusters).   |                  |          |          |          |                      |
|  |                  |          |          |          |                      |
| If there are 2 servers, the diagram  |                  |          |          |          |                      |
| should show both servers.  |                  |          |          |          |                      |
| Change:  | Page 35, section | IV&V     | 7/8/02   | Y        | Clarified the use of |
| Clarify the use of application   | 2.9.1 & table    |          |          |          | application approach |
| approach "NW" in Table.  |                  |          |          |          | "NW" in Table.       |
|  |                  |          |          |          |                      |
| Concern:   |                  |          |          |          |                      |
| Text defines NL as Network Level.  |                  |          |          |          |                      |
| There is no NL listed in the Table,  |                  |          |          |          |                      |
| NW is listed.  |                  |          |          |          |                      |
|  |                  |          |          |          |                      |
| Should NW be NL? This Table is the   |                  |          |          |          |                      |
| only place where NW is found in  |                  |          |          |          |                      |
| document.  |                  |          |          |          |                      |
| Change:  | Page 36, section | IV&V     | 7/8/02   | Y        | Elaborated on        |
| Elaborate on statement that there are  | 2.10, last       | 1700     | 17 07 02 | 1        | statement that there |
| several communication methods by   | sentence         |          |          |          | are several          |
| identifying them and/or indicating   |                  |          |          |          | communication        |
| where they are described.  |                  |          |          |          | methods by           |
|  |                  |          |          |          | identifying them     |
| Concern:   |                  |          |          |          | and/or indicating    |
| Statement "Several methods exist to  |                  |          |          |          | where they are       |
| enable communication between a   |                  |          |          |          | described.           |
| WebSphere hosted application and   |                  |          |          |          |                      |
| the EAI bus".  |                  |          |          |          |                      |
| the El II bus .  |                  |          |          |          |                      |
| The above statement may leave a  |                  |          |          |          |                      |
| reader wondering what the several  |                  |          |          |          |                      |
| methods are and where they are   |                  |          |          |          |                      |
| discussed in detail.   |                  |          |          |          |                      |
| discussed in detail.   |                  | 1        | 1        |          |                      |
| Note: The above statement also   |                  |          |          |          |                      |
| occurs in the Release 1 version of   |                  | 1        | 1        |          |                      |
| this document.   |                  | 1        | 1        |          |                      |
| Change:  | Page 80, section | IV/O V   | 7 /0 /00 | V        | This material is     |
| Add material for section 5.9.4   | 5.9.4            | IV&V     | 7/8/02   | Y        | covered in the       |
|  | J.J.4            |          |          |          | referenced document  |
| Assigning and Deploying Resources  |                  | 1        | 1        |          |                      |
| to Brokers.  |                  | 1        | 1        |          | described in section |
| Concerns   |                  |          |          |          | 5.9.4.               |
| Concern:   |                  | 1        | 1        |          |                      |
| Section heading is presented but no  |                  |          |          |          |                      |
| text is provided for section.  | D : 00 · ·       | 1        | 1        | 1        | D. I.                |
| Change:  | Page 86, section | IV&V     | 7/8/02   | Y        | Data Integrator      |
| Clarify differences, if any, between   | 7.1              |          |          |          | terminology is now   |
| the term "Data Integrator" and   |                  | 1        | 1        |          | consistent           |
| "DataIntegrator". If they are the  |                  | 1        | 1        |          | throughout the       |
| same, use the same terminology   |                  |          |          |          | document.            |
| throughout the document.   |                  | <u> </u> | <u> </u> | <u> </u> |                      |
|  |                  |          |          |          |                      |



| Concern:                            |  |  |  |
|-------------------------------------|--|--|--|
| Much of the document uses the term  |  |  |  |
| "Data Integrator"; however, section |  |  |  |
| 7 uses the term "DataIntegrator"    |  |  |  |

| Suggested Changes/Comments   | Page  | Author | Date   | Change<br>Made Y/N | Comment   |
|--|---|--------|--------|--------------------|---|
| Suggested Change: Clarify statement with respect to release (i.e., release 3) features.  Concern: Statement "This deliverable defines the guidelines for enabling FSA application developers to design and implement applications utilizing the features of the EAI Core architecture, as defined for the initial release".  The meaning of "as defined for the initial release" is confusing since this document is for Release 3.  | Page 8, section<br>1.1, 1st<br>paragraph, last<br>sentence                | IV&V   | 7/8/02 | Y                  | The phrase referrinto the initial release "as defined for the initial release" was removed. Clarification was added that, "This includes work done in Release 1.0, 2.0, and 3.0 of EAI.   |
| Suggested Change: The initially identified contents of Section 7 and its actual contents are different.  There is a need for a section that provides "guidance on integrating FSA Applications to utilize the EAI Core Architecture".  Concern: Bullet "Section 7 – Application Integration This section will provide guidance on integrating FSA Applications to utilize the EAI Core Architecture".  Section 7 is actually entitled "Examples". "This section contains representation examples of interfaces using each of the EAI middleware products". | Page 9, section<br>1.3, 7 <sup>th</sup> bullet                            | IV&V   | 7/8/02 | Y                  | The Application Integration section provides integration guidance through illustrative examples. All integration scenarion will use one of the three products in section 7. Application team developers will be able to use one of the examples to understand how to use the products.  The heading on pag 9 and the heading of section 7 now correspond and rea as "Application Integration Examples." |
| Change: Delete second occurrence of the same bullet.   | Page 15, section<br>2.1.4, 1 <sup>st</sup> and 2 <sup>nd</sup><br>bullets | IV&V   | 7/8/02 | Y                  | Deleted second<br>occurrence of the sar<br>bullet.  |



| accirca c   |  | 1    | T      | 1 |   |
|---|--|------|--------|---|---|
| to 48 characters long. They should be short, but long enough to be meaningful".                     |  |      |        |   |   |
| Same bullet appears twice. Change:  | Page 22, section   |      |        |   | Change "manger" to  |
| Change "manger" to "manager".   | 2.3.2, 6 <sup>th</sup>   | IV&V | 7/8/02 | Y | "manager".  |
| Concern: Wording "There should be only one dead letter queue defined on each queue manger".         | paragraph, 2 <sup>nd</sup><br>sentence   |      |        |   |   |
| Note: The same spelling error also occurs in the Release 1 version of this document.                |  |      |        |   |   |
| Change:<br>Correct statement to match actual<br>material presented.                                 | Page 23, section<br>2.5.1, 2 <sup>nd</sup><br>paragraph, 1 <sup>st</sup><br>sentence | IV&V | 7/8/02 | Y | Removed statement "The hardware architecture implemented at FSA can be seen in the            |
| Concern: Statement "The hardware architecture implemented at FSA can be seen in the diagram below". |  |      |        |   | diagram below" so<br>that the information<br>would match the<br>actual material<br>presented. |
| There is no diagram showing hardware.   |  |      |        |   |   |
| Note: This same statement also occurs in the Release 1 version of this document.                    |  |      |        |   |   |
| Change: Change "ore" to "or".   | Page 24, section 2.5.2, 1st  | IV&V | 7/8/02 | Y | Changed "ore" to "or".  |
| Concern: Wording " sends messages to any two ore more repositories".                                | paragraph, 3 <sup>rd</sup><br>sentence   |      |        |   |   |
| Note: The same spelling error also occurs in the Release 1 version of this document.                |  |      |        |   |   |
| Change:<br>Change "of as to".   | Page 45, section 4.1.7.1, 3 <sup>rd</sup> node                                       | IV&V | 7/8/02 | Y | Change "of as to" to "for".   |
| Concern: Wording "The third node is the short description of as to the functions of the node".      |  |      |        |   |   |
| It appears that "of as to" should be "for".   |  |      |        |   |   |
| Change:<br>Check document paging.   | Page 54  | IV&V | 7/8/02 | Y | Checked document paging and did not find an extra page  |
| Concern:<br>There is an extra blank page prior to<br>section 5.                                     |  |      |        |   | before section five in<br>either printed or<br>electronic version of<br>document.             |
| Change: Change "as well message delivery" to "as well as message delivery".                         | Page 63, section 5.4, 1st sentence   | IV&V | 7/8/02 | Y | Changed "as well<br>message delivery" to<br>"as well as message<br>delivery".                 |
| Concern:  |  |      | 1      |   | Wording changed to  |



| Wording " including new                            |                        |       |          |   | read " including     |
|--|------------------------|-------|----------|---|----------------------|
| interfaces for message content as                  |                        |       |          |   | new interfaces for   |
|  |                        |       |          |   | message content as   |
| well message delivery".                            |                        |       |          |   | U                    |
| Mindage " - "                                      |                        |       |          |   | well as message      |
| Missing "as".                                      |                        |       |          |   | delivery".           |
| N. ml  |                        |       |          |   |                      |
| Note: The same statement also                      |                        |       |          |   |                      |
| occurs in the Release 1 version of                 |                        |       |          |   |                      |
| this document.                                     |                        |       |          |   |                      |
| Change:  | Page 64, Figure        | IV&V  | 7/8/02   | Y | Figures are labeled  |
| Clarify unique numbering for                       | 1                      |       |          |   | consistently.        |
| figures.   |                        |       |          |   |                      |
|  |                        |       |          |   |                      |
| Concern:   |                        |       |          |   |                      |
| The figure on this page is labeled as              |                        |       |          |   |                      |
| Figure 1, but there are several                    |                        |       |          |   |                      |
| figures presented before this figure.              |                        |       |          |   |                      |
| inguites presented before this figure.             |                        |       |          |   |                      |
| Note: The same statement also                      |                        |       |          |   |                      |
| occurs in the Release 1 version of                 |                        |       |          |   |                      |
|  |                        |       |          |   |                      |
| this document.                                     | D 47                   |       |          |   |                      |
| Change:  | Page 67, section       | IV&V  | 7/8/02   | Y | Changed "6.1" to     |
| Change "6.1" to "8.1".                             | 5.5.4, 2 <sup>nd</sup> |       |          |   | "8.1".               |
|  | paragraph              |       |          |   |                      |
| Concern:   |                        |       |          |   |                      |
| Wording "Note: Refer to Section 6.1"               |                        |       |          |   |                      |
|  |                        |       |          |   |                      |
| Correct section is 8.1 for this document.          | D 74                   |       |          |   | GI I                 |
| Change:  | Page 74, section       | IV&V  | 7/8/02   | Y | Changed              |
| Change "datastructures" to "data                   | 5.9.1.4, under 1st     |       |          |   | "datastructures" to  |
| structures".                                       | bullet                 |       |          |   | "data structures".   |
|  |                        |       |          |   |                      |
| Concern:   |                        |       |          |   |                      |
| Wording " of legacy                                |                        |       |          |   |                      |
| datastructures created in the C"                   |                        |       |          |   |                      |
| Change:  | Page 87, section       | IV&V  | 7/8/02   | Y | Made requested       |
| Ensure that capitalization is used for             | 7.2, table and         | 1,44, | 17 07 02 | 1 | capitalization       |
| names and not for emphasis.                        | elsewhere as           |       |          |   | changes.             |
| •  | appropriate            |       |          |   | changes.             |
| Ensure that capitalization is correctly            |                        |       |          |   |                      |
| used throughout document.                          |                        |       |          |   |                      |
|  |                        |       |          |   |                      |
|  |                        |       |          |   |                      |
| Concern:   |                        |       |          |   |                      |
| Inappropriate initial capitals appear to be        |                        |       |          |   |                      |
| used for:  |                        |       |          |   |                      |
| <ul> <li>Statements in SQL Statements</li> </ul>   |                        |       |          |   |                      |
| Database in FMS Database                           |                        |       |          |   |                      |
| <ul> <li>Interface in COD-FMS Interface</li> </ul> |                        |       |          |   |                      |
| Change:  | Page 100, section      | IV&V  | 7/8/02   | Y | Changed "Use" to     |
| Change "Use" to "use".                             | 9.4                    | 11001 | 17 07 02 | 1 | "use".               |
|  |                        |       |          |   |                      |
| Ensure that capitalization is correctly            |                        |       |          |   | Ensured that         |
| used throughout document.                          |                        |       |          |   | capitalization is    |
|  |                        |       |          |   | correctly used       |
| Concern:   |                        |       |          |   | throughout document. |
| Wording  |                        |       |          |   |                      |
| "CICS Use commands"                                |                        |       |          |   |                      |
| "IMS Use the IMS"                                  |                        |       |          |   |                      |
| "RRS Use MQCMIT"                                   |                        |       |          |   |                      |
|  |                        |       |          |   |                      |
| The word "use" should not be                       |                        | 1     | 1        | 1 |                      |
|  |                        |       |          |   |                      |
| capitalized in the 3 sentences above.              |                        |       |          |   |                      |
| capitalized in the 3 sentences above.              |                        |       |          |   |                      |
|  |                        |       |          |   |                      |



| Change:<br>Change "used isolate" to "used to<br>isolate".                                   | Page 104, section<br>11, adapter<br>definition              | IV&V | 7/8/02 | Y | Changed "used isolate" to "used to isolate".                                   |
|---|---|------|--------|---|--|
| Concern: Wording " an adapter is used isolate"  |   |      |        |   |  |
| The word "to" is missing between "used" and "isolate".                                      |   |      |        |   |  |
| Note: The same error also occurs in the Release 1 version of this document.                 |   |      |        |   |  |
| Change: Change to "Used by insurance companies to build Business/integration systems".      | Page 107, section<br>11, IAFeB<br>definition                | IV&V | 7/8/02 | Y | Changed to "Used<br>by insurance<br>companies to build<br>Business/integration |
| Concern: Wording "Used by insurance companies to build eBusiness/integration systems upon". |   |      |        |   | systems".  |
| Wording "upon" is unnecessary.  |   |      |        |   |  |
| Note: The same error also occurs in the Release 1 version of this document.                 |   |      |        |   |  |
| Change:<br>Remove extra period from end of<br>sentence.                                     | Page 108, section<br>11, installable<br>services definition | IV&V | 7/8/02 | Y | No extra period was found to remove.   |
| Concern:<br>Extra period is at end of last sentence.  |   |      |        |   |  |
| Note: The same error also occurs in the Release 1 version of this document.                 |   |      |        |   |  |
| Change:<br>Correct grammar errors.  | Various.  | IV&V | 7/8/02 | Y | Errors corrected.  |
| Concern: In addition to the errors listed above there are other minor errors.               |   |      |        |   |  |